

 <p><b>INSTITUT ZA REHABILITACIJU</b></p> <p>Centrala: 011/8241-100, Tel. direktor: 011/8241-424, fax:011/8236-431,</p>	<p>, 17 : 01-447-4/15 : 07.04.2015. <a href="http://www.rehabilitacija.com">www.rehabilitacija.com</a></p>
--	--

, **17**

. **21/15.**

07.04.2015.

**15.04.2015. 12,00**

**15.04.2015. 12,15**

, 2015.

39. 61. ( . 124/2012)  
6.

( . 29/2013),  
01- 447-1 /15 03.04.2015.

01- 447-2/15 03.04.2015. ,

**.21/15**

:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

6. , - , , , , ,  
7. .  
8. - 1  
- 2  
- 3  
- 4  
- 5  
.75. 2, - 6  
- 7  
- 7.1  
- 7.1.1  
- 8  
- 9

**1.**

**1.1.** \_\_\_\_\_

:  
: \_\_\_\_\_, 17  
: [www.rehabilitacija.com](http://www.rehabilitacija.com)

**1.2.** \_\_\_\_\_

,  
- 39.  
.

**1.3.** \_\_\_\_\_

-  
.  
.  
/ 6.  
-

**1.4.** \_\_\_\_\_:

,  
.  
:  
: [www.rehabilitacija.com](http://www.rehabilitacija.com)

[www.poreskauprava.gov.rs](http://www.poreskauprava.gov.rs), , . 3-5, 11000

.  
, : [www.merz.gov.rs](http://www.merz.gov.rs), . 22-26,  
.

22-26 , : [www.minrzs.gov.rs](http://www.minrzs.gov.rs), .  
: [www.nsz.gov.rs](http://www.nsz.gov.rs), . 8,

**1.5.** \_\_\_\_\_

- : [seltersbanja.pravnasl@gmail.com](mailto:seltersbanja.pravnasl@gmail.com)  
: 011/8236-431 07,30 – 15,30 .  
07,30-15,30 .

**15:30** ,



**3.**

- .
- :
- 1) ;
  - 2) ;
  - 3) ;
  - 4) (
  - 5) );
  - 6) ;
- .

- :
- 1. . 1 - ;
  - 2. 2- ( );
  - 3. . 3 - (
  - 4. . 4 - );

5. ; , . 4 -

6. ; , .5 -

7. ; , . 6 - 75. 76.

8. ; , .8 -

9. ; ,

87. . 5. .

50%,

75.

75. 1. 1) 4) , 75. 1. 5.

- 
- 
- 
- 
- 
- 

5

aj

( 82. a 1. a a 3) -





\_\_\_\_\_ :

- :

1) 2012, 2013. 2014.  
2011, 2012. 2013.

:

-

2012, 2013. 2014. 2011,2012. 2013. ;

2) 2014.

:

2014.

1) 2012, 2013 2014. :

9.000.000,00 .

:

2012, 2013

2014. 9.000.000,00 .

1) 3 :

-3

1) :

2) ( );

3) ISO 9001:2008 ISO 9001:2008 / :

4) /  
: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10,11, 12, 13, 14, 15.

1,2,10, 11. :

, , ,

:

**I** \_\_\_\_\_ :

- 10 %

, 30

- , : , , . , . , .

, ( , ( ) 2 ( , )

) : (

) ).

**II** \_\_\_\_\_ :

1)

10% \_\_\_\_\_ -

30 ( )

, ( ) ,  
( ; ) 2

**2)**

10%

5 ( )

, ( ) ,  
( ; ) 2

**3)**

15 %

30

” “

6

20.

17 , 21/15

5

”

-

. 21/15 -

“

:

I .335, 11400

”

, 21/15,

)  
12,00

(  
15.04.2015.

15.04.2015.

12,15

I .335, 11400

. 109. ,

. 148. 1.

: 840-30678845-06,

153 253,

**4.**

1. 1-4. , 75. 75.  
5. - 1.

,

76. ,

( , 77. 4. , - 5)

( 75. 76. , 5.  
75. 1. 5.)

.

.

,

.

5.1.

.

:

\* 5.

.

\* ,

5.

5.

5.

21/15

5.

75.

1.

1-4.

---

75.

1.

1-4.

1)

;

2)

3)

4)

;

• •

⋮



,

17

,

21/15

17							
						( - )	
1			220/240V, 1200W				/
1,1				20			
2	/	/	220/240V, 65W, "CFC"				/
2,1			30 ( ) - 520 400 425	30	30		

						( - )	
3		TE /	32" "SAMSUNG UE32-H4000" : 32", HD ready, : 1366 x 768px , HDMI 2X, SCART X1, USB 2, (Y/Pb/Pr): 1, (AV): 1 (Common Use for Component Y), : 1 ( ) : 1, RF In (Terrestrial/Cableinput/Satellite Input): 1, CI Slot: 1Scart: 1 Digital Clean View, Auto Power Off, Auto Channel Search, Clock & On/Off Timer, Sleep Timer, Caption (Subtitle), Channel List USB-Clone, ConnectShare™ (USB 2.0), Sports Mode 2.0 (Basic), Embeded POP, EPG, Game Mode, Picture-In-Picture, Teletext (TTX), GUI (Golden Bridge Lite) Dimenzijesa postoljem:736.1 x 485.6 x 163.4 mm : maks.4,90 +				/
3,1			- 32"	42			
4			3644 " S box" PLB 32" - 55" . : 50 kg : - 20° + 10° : 180° (± 90°) : 60 473 mm ( / / ) : 480 x 430 x 60-473 mm : 3,5 kg VESA : 400 x 400				/
4,1			- 32" - 55" .	4			
5			" S-box, Hamma" 19-32"				/
5,1			- 19-32"	40			

						( - )	
6		TE /	40" / "SAMSUNG UE40- H5000 " : 40", full HD : 1920 x 1080px , HDMI 2X, SCART X1, USB 2, (Y/Pb/Pr): 1, (AV): 1 (Common Use for Component Y), : 1 ( ): 1, RF In (Terrestrial/Cableinput/Satellite Input): 1, CI Slot: 1,Scart: 1 908.2 x 532.9 x 49.3 mm 927.6 x 606.5 x 227.6mm. : maks. 7.7 +				/
6,1			- 40"	3			
7			" S-box, Hamma" 23 - 55"				/
7,1			23 - 55"	3			

						( - )	
8		TE /	<p>48" / "SAMSUNG            UE48-H5000 "</p> <p>: 48"/ 121 cm, : 1920 x 1080</p> <p>:            Digital Clean View, Auto Channel Search, Auto Power Off            Clock &amp; On/Off Timer, Sleep Timer, Caption (Subtitle)            Channel List USB-Clone, ConnectShare™ (USB 2.0):            Movie            Sports Mode 2.0: Basic, Embedded POP, EPG, Game Mode            Mode            OSD Language: 27 European Languages, Picture-In-Picture            Teletext (TTX), GUI: Golden Bridge Lite            System:DTV , Tuner: DVB-TC, Analog Tuner            CI/CI+/2CI+: CI+ (1.3), Konekcije: HDMI: 2, USB: 1            Komponentni ulaz (Y/Pb/Pr): 1, Kompozitni ulaz (AV): 1            (Common Use for Component Y), Priključak za slušalice:            1            Digitalni audio izlaz (optički): 1, RF In (Terrestrial/Cable input/Satellite Input): 1, CI Slot: 1            Scart: 1, ( x x ): 107.67 x 62.66 x 4.97 cm / 11.1 kg,            ( x x ): 107.67 x 67.38 x 20.39 cm / 12.1 kg</p>				
8,1			- 48"	1			

						( - )	
9			.200 435 383 12 23 ,				/
9,1			- .200 435 383 ,	10			
10			1100W, 220V/240V				/
10,1				7			
11			220V/240V ,				/
11,1				3			
12			T " Panasonic - KX TS500FXC" 5				/
12,1				22			

						( - )	
13			, , " - 18 24" . 18000/20000 : 22, , / , , , , . 902 270 200 , 760 590 280 .				
13,1			18	1			
14			, , " MSR-12XP P24" . 12.000BTU / 12.500BTU. : 22, , / , , , , / . 710 x 250 x 189 mm, 700 x 540 x 240 mm.				
14,1			12	6			

						( - )	
15			<p>"printer SUPERCASH S "</p> <p>11.956 ,100 ; ,10 3 ( , , ) 500 ,</p> <p>50. 512 .</p> <p>14' / ,18 2 28 .</p> <p>50 2 . 16 ( 16 1 , 16 2 ) GSM/GPRS modul:</p> <p>Siemens TC65i, Quad band Interfejsi 2 x RS232 (za PC i bar kod ita ) 1 x port za fioku za novac 1 x konektor za eksternu GSM antenu (opciono)Napajanje Ugra ena NiMH baterija 7.2V, 2100 mAh Eksterni adapter AC 200-240V, 50Hz, DC 15V Maksimalna potrošnja 15 VA u režimu punjenja baterija Dimenzije Š x D x V: 143 x 310 x 91 mm 1.030 gr</p>				
15,1				2			
			( - )				



:

- \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

- \_\_\_\_\_

• •



108.

21/15,

1.

( ), 2015.

2.

1.

3.

(5) 30% 60

4.

10% 30





- 1.

:	
, , :	
:	
<b>e-mail:</b>	
:	
:	
( )::	
:	
:	
:	

:

: \_\_\_\_\_

. .

\_\_\_\_\_

\_\_\_\_\_

2.

, , 21/15, :

• \_\_\_\_\_  
:

) ) ( ) )

:

1.

- :	
:	
:	
-	
:	

2. :\_\_\_\_, :\_\_\_\_\_ (21 );

3. :\_\_\_\_ (\_\_\_\_\_) ( 60 ).

4. : (5) 60 , 30% , , .

5. : \_\_\_\_\_ ( 24 ).

: \_\_\_\_\_

**M.**

\_\_\_\_\_

\_\_\_\_\_

.3

- , 21/15

,

,

21/15.

\_\_\_\_\_2015.

• •

\_\_\_\_\_



.4

(,, 26. “, . 124/2012) 29. 20. ,  
(,, “, . 29/2013)

, 21/15,

\_\_\_\_\_2015.

• •

\_\_\_\_\_:

- ;
  - ;
  - ,
- \_\_\_\_\_
- \_\_\_\_\_

.5

39. 3 6. 26. 29.  
(„ , „. 124/2012.)

,  
 :  
 /  
 ;  
 / ;  
 , 1% ,  
 / ;  
 /  
 .  
 , , .3. .1.  
 .11. , : , , ,  
 , , ,  
 , , .

\_\_\_\_\_2015.

• •

\_\_\_\_\_

**.6**

(,, 75. 2. 20.  
“, . 124/2012.)  
: (,, “, . 29/2013)

\_\_\_\_\_2015.

• •

\_\_\_\_\_:

- 
- 
- 

\_\_\_\_\_

7

( )

<i>a</i>	
<i>-mail</i>	
—	

, 21/15,

:

- \_\_\_\_\_  
 \_\_\_\_\_ %  
 , \_\_\_\_\_ :
- \_\_\_\_\_  
 \_\_\_\_\_ %  
 , \_\_\_\_\_ :
- \_\_\_\_\_  
 \_\_\_\_\_ %  
 , \_\_\_\_\_ :

• •

\_\_\_\_\_  
 \_\_\_\_\_

**7.1**

( )

\_\_\_\_\_

( )

\_\_\_\_\_

( )

\_\_\_\_\_

( )

\_\_\_\_\_

( )

, **21/15,**

, .

• • \_\_\_\_\_

• • \_\_\_\_\_

• • \_\_\_\_\_

• • \_\_\_\_\_

           :

**81, 4**

**7.1.1**

a	
( )	
-mail	
-	

\_\_\_\_\_

..

\_\_\_\_\_

\_\_\_\_\_:

( , ).

.

.124/12), 88. 1. 6. 1. 2, 9. (“ ” .29/2013),

, **21/15**, :

	_____
	_____
	_____
	_____

“ .124/12). 88. 3. (“

\_\_\_\_\_  
 . .  
 \_\_\_\_\_

- \_\_\_\_\_ :
- ;
- (“ .124/12); ( 88. 2.
- ,

